




# Installation Instruction LP Series

### **Drilled Hole**

- The drilled hole must be within the tolerances shown on the dimensional sheets.
- The cone rate 1:12 must be kept as per specification sheet.
- · Holes must be round within 0.05 mm.
- With hard materials the bore roughness should be from  $R_7 = 10 30 \mu m$  for best results.
- · Longitudinal rifles and spiral grooves should be avoided. These influence the sealing effectiveness.
- The bore must be free of oil, grease and chips.



## **Setting Procedure**

- With the setting hole facing out, the LP-plug is inserted in the cone bore. The top sleeve should not be above the surface of the base material (Fig. 1).
- The LP-plug can now be pressed in with the setting tool. Corresponding approximate values for stroke S are from the table below (Fig. 2).
- Installed LP-plug (Fig. 3).

#### Note:

- Use the proper size setting tool for the KOENIG-Expander according to the data sheet
- Through washing of the LP-plugs before installation, higher setting force might occur.

### **Press**

- It is preferred to limit travel when using a press because insertion force is difficult to control.
- Recommended setting speed is 5 mm/sec.

The KOENIG-Expander assuring an optimum orientation, it works perfectly with automatic processing.

## Plug Removal

With KOENIG-Expander LP Series plug removal is possible. The plug can be drilled out with a high speed steel drill.

#### Procedure:

- Drill out, in one process, to the next larger diameter, nominal diameter d<sub>4</sub> according to the data sheet.
- 2. Drill the taper hole with a reamer up to diameter  $\mbox{\bf d}_3$  according to the data sheet.
- 3. Clear chips, remnants of the sleeve, and oil and grease from the bore.
- 4. Install a new KOENIG-Expander.

Note: After plug removal always install the next larger size plug.

## Installation Chart

Series LP 900 -		040	050	060	070	080	090	100	120
S (mm) ± 0.25	Stroke (average value)	1.0	1.3	1.3	1.5	1.8	1.8	2.0	2.0

in steel, grey cast, nodulized cast iron in aluminium wrought alloy, aluminium-cast material

