



2


Datumsstempel

Date inserts

Dateurs



t = Schrifftiefe / Depth of characters / Profondeur de la gravure



Z5156-3-

Mat.: 1.2842
~60HRC



Z5156-3-a



Z5157-5-

Mat.: 1.2842
~60HRC



Z5157-5-a




a

laufendes Jahr / current year / année courante

a

laufendes Jahr / current year / année courante



Z5158-5 Z5158-5-

Mat.: 1.2842
~60HRC



Z5158-5
Z5158-5-Jahre



Z5158-5

Z5158-5-Jahre/Years/Années

-

18 - 23



-

19 - 24


Datumsstempel

Date inserts

Dateurs



t = Schrifttiefe / Depth of characters / Profondeur de la gravure



Z5156-4-

Mat.: 1.2842
~60HRC



Z5156-4-a



a

laufendes Jahr / current year / année courante

Z5157-8-

Mat.: 1.2842
~60HRC




Z5157-8-a



a

laufendes Jahr / current year / année courante



Z5158-8-Jahre
-Years
-Années

Z5158-8

Z5158-8 Z5158-8-

Mat.: 1.2842
~60HRC



Z5158-8
Z5158-8-Jahre



Z5158-8

Z5158-8-Jahre/Years/Années



- 18 - 23
- 19 - 24

2

Datumsstempel



Date inserts

Dateurs



Markierung in Werkzeugkontur einbringen
Insert marking in the tool contour
Poser marque dans le contour de l'outil

t = Schrifttiefe / Depth of characters / Profondeur de la gravure



Z5156-3,5-

Mat.: 1.2162
~56HRC

Z5157-3,5-

Mat.: 1.2162
~56HRC



Z5156-3,5-a



Z5157-3,5-a




a

laufendes Jahr / current year / année courante

a

laufendes Jahr / current year / année courante



Z5158-3,5

Mat.: 1.2162
~56HRC



Z5158-3,5

